

TABLEAU

AT MEDLEY

RALEIGH
1,939 SQ. FT.



All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'D' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. E.&O.E.

EAH | BROKERAGE








TABLEAU AT MEDLEY


RALEIGH
1,939 SQ. FT.




FIRST FLOOR



SECOND FLOOR



THIRD FLOOR



TABLEAU

AT MEDLEY

HARLEIGH
2,722 SQ. FT.



All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'D' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. E.&O.E.

EAH | BROKERAGE








TABLEAU AT MEDLEY


HARLEIGH
2,722 SQ. FT.




FIRST FLOOR



SECOND FLOOR



THIRD FLOOR



TABLEAU

AT MEDLEY

HAYDEN SLAB
2,794 SQ. FT.



All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'D' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. E.&O.E.

EAH | BROKERAGE








TABLEAU AT MEDLEY


HAYDEN SLAB
2,794 SQ. FT.



FIRST FLOOR



SECOND FLOOR



THIRD FLOOR